

Hysteroscopes from KARL STORZ

Diagnostic and Operative Solutions
for the Office Environment



BETTOCCHI® Integrated Office Hysteroscope (B.I.O.H.®)

based on integrated 2 mm rod lens telescope


Special Features:

- Brilliant imaging thanks to HOPKINS® rod lens system
- Small diameter of only 4 mm for atraumatic insertion into the cervix
- Single-handed operation and control of inflow/outflow possible
- All connectors positioned downwards away from the ergonomic handle
- Working channel allows the use of semirigid 5 Fr. operating instruments and bipolar electrodes



- 26252 BL BETTOCCHI® B.I.O.H.® **Compact Hysteroscope 30°**, HOPKINS® telescope 30°, size 4 mm, with channel for semirigid 5 Fr. operating instruments, with suction and irrigation valves for single or continuous-flow use, **long handle**, including:
- Outer Sheath**
 - 2x Suction and Irrigation Valve**
 - Monobloc Adaptor**
 - Seal for Working Channel**, package of 10

Accessories



- 39501 XC **Wire Tray for Cleaning, Sterilization and Storage**
of one B.I.O.H.® compact hysteroscope,
including cleaning adaptor, silicone telescope holders and lid,
external dimensions (w x d x h): 460 x 150 x 80 mm, for use with Cleaning Adaptor
39501 XCA (B.I.O.H.® and light cable not included in delivery)



- 031317-10 **Tubing Set**, for single use, sterile, with Monobloc connector and irrigation and suction
tube, connection to pump only with Tubing Set 031167-01, package of 10, for use with
B.I.O.H.® Hysteroscope 26252 BB/BH in combination with HAMOU® ENDOMAT® SCB

- 26252 SP **Sealing Set for B.I.O.H.®**
including:
10x **O-Ring**, diameter 10/12 mm, for Valve 26252 BV
10x **O-Ring**, diameter 10.5 mm, for Valve 26252 BV
10x **O-Ring**, diameter 14 mm, for Valve 26252 BV
5x **Sealing Cap**, for working channel
5x **O-Ring**, for Sheath 26252 BO
Box

CAMPO TROPHYSCOPE®

based on integrated 2 mm rod lens telescope

Special Features:

- TROPHYSCOPE® features greater stability thanks to integrated irrigation channel
- Brilliant image quality thanks to HOPKINS® rod lens system
- Atraumatic insertion in the cervical canal possible without dilation and anesthesia due to very small outer diameter
- Innovative feature: sheaths with gliding mechanism
 - Primary approach to uterine cavity only with 2.9 mm outer diameter
 - Intraoperative changeover from single-flow to continuous-flow and/or operating sheath
- Working channel allows the use of semirigid 5 Fr. operating instruments and bipolar electrodes

Without working channel



26008 BAC CAMPO **TROPHYSCOPE®**, HOPKINS® telescope 30°, size 2.9 mm, length 24 cm, with irrigation connector, for use with Examination Sheath 26152 DA and Operating Sheath 26152 DB

26152 DA **Continuous-Flow Sheath**, size 3.7 mm, length 18 cm, with suction adaptor, for use with CAMPO TROPHYSCOPE® 26008 BAC

With working channel



- 26008 BAC CAMPO **TROPHYSCOPE®**, HOPKINS® telescope 30°, size 2.9 mm, length 24 cm, with irrigation connector, for use with Examination Sheath 26152 DA and Operating Sheath 26152 DB
- 26152 DB **Continuous-Flow Operating Sheath**, size 4.4 mm, length 16 cm, with channel for semirigid instruments 5 Fr., with 1 stopcock and 1 LUER-Lock adaptor, for use with CAMPO TROPHYSCOPE® 26008 BAC

Recommended Accessories:



NEW

-  26152 DS **TROPHY Curette**, for use with Continuous-Flow Sheaths 26152 DA and 26152 DB

BETTOCCHI® Hysteroscope (5 mm)

based on 2.9 mm rod lens telescope


Special Features:

- Brilliant image quality thanks to HOPKINS® rod lens system
- Atraumatic insertion in the cervical canal due to oval sheath
- Working channel allows the use of semirigid 5 Fr. operating instruments and bipolar electrodes
- Suitable for Essure®* hysteroscopic sterilization method



26120 BA **HOPKINS® Forward-Oblique Telescope 30°**, diameter 2.9 mm, length 30 cm, **autoclavable**, fiber optic light transmission incorporated, color code: red

With working channel



26153 BI **BETTOCCHI® Inner Sheath**, size 4.3 mm, with channel for semirigid 5 Fr. operating instruments, with 1 stopcock and 1 LUER-Lock adaptor, for use with Outer Sheath 26153 BO


26153 BO **BETTOCCHI® Outer Sheath**, size 5 mm, with 1 stopcock and 1 LUER-Lock adaptor, for use with Inner Sheath 26153 BI

Without working channel



26161 VB **Inner Sheath**, diameter 3.8 mm, with 1 stopcock and 1 LUER-Lock adaptor, for use with Outer Sheath 26161 VC

26161 VC **Outer Sheath**, diameter 4.5 mm, with 1 stopcock and 1 LUER-Lock adaptor, for use with Inner Sheaths 26161 VB and 26162 VB



26153 EA **Hysteroscope Sheath**, size 5 mm, with channel for 5 Fr. operating instruments, no separate inner and outer sheaths, for use with Essure® sterilization method

* Essure® microcoils are available from the company Bayer (for additional information see: www.essure.com)

BETTOCCHI® Hysteroscope (4 mm)

based on 2 mm rod lens telescope


Special Features:

- Brilliant image quality thanks to HOPKINS® rod lens system
- Atraumatic insertion in the cervical canal due to oval sheath
- Working channel allows the use of semirigid 5 Fr. operating instruments and bipolar electrodes
- Very small outer diameter of only 4 mm



26008 BA **HOPKINS® Forward-Oblique Telescope 30°**, diameter 2 mm, length 26 cm, **autoclavable**, fiber optic light transmission incorporated, color code: red

With working channel



26152 BI **BETTOCCHI® Inner Sheath**, size 3.6 mm, with channel for semirigid 5 Fr. operating instruments, with 1 stopcock and 1 LUER-Lock adaptor, for use with Outer Sheath 26152 BO

26152 BO **BETTOCCHI® Outer Sheath**, size 4.2 mm, with 1 stopcock and 1 LUER-Lock adaptor, for use with Inner Sheath 26152 BI

Without working channel




26161 RN **Inner Sheath**, diameter 2.8 mm, with 1 stopcock and 1 LUER-Lock adaptor, for use with Outer Sheath 26161 R

26161 R **Outer Sheath**, diameter 3.6 mm, with 1 stopcock and 1 LUER-Lock adaptor, for use with Inner Sheath 26161 RN

Semirigid and Reusable 5 Fr. Operating Instruments

Length 34 cm



26159 EHW **Scissors**, semirigid, blunt, single action jaws, 5 Fr., length 34 cm



26159 SHW **Scissors**, semirigid, pointed, single action jaws, 5 Fr., length 34 cm



26159 UHW **Biopsy and Grasping Forceps**, semirigid, double action jaws, 5 Fr., length 34 cm



26159 H **HESSELING Tenaculum Grasping Forceps**, semirigid, double action jaws, 5 Fr., length 34 cm



26159 DHW **Punch**, semirigid, through-cutting, single action jaws, 5 Fr., length 34 cm



26159 BHW **Biopsy Spoon Forceps**, semirigid, double action jaws, 5 Fr., length 34 cm

NEW



26159 DS **DI SPIEZIO SARDO Grasping Forceps**, semirigid, double action jaws, 5 Fr., length 34 cm

NEW



26159 HS **HESSELING and DI SPIEZIO SARDO Tenaculum Grasping Forceps with Spike**, semirigid, double action jaws, 5 Fr., length 34 cm

Reusable Bipolar 5 Fr. Electrodes

Length 36 cm



26159 BE **Bipolar Dissection Electrode**, semirigid, 5 Fr., length 36 cm



26158 BE **Bipolar Dissection Electrode**, semirigid, 5 Fr., needle electrode angled 90°, length 36 cm



26159 GC GORDTS/CAMPO **Bipolar Ball Electrode**, semirigid, 5 Fr., length 36 cm



26176 LE **Bipolar High Frequency Cord**, length 300 cm

Flexible Hysteroscope

Special Features:

- Insertion in the cervical canal without dilation due to very small diameter of 3.5 mm
- Working channel for use with flexible 3 Fr. operating instruments
- Easy insertion in the cervical canal thanks to reinforced sheath
- Lockable distal deflection mechanism for better visualization of tubal ostia and easier insertion through the cervix



11264 BB **Hystero-Fiberscope**, with lockable deflection mechanism

Working channel:	1.48 mm
Direction of view:	0°
Angle of view:	110°
Working length:	240 mm
Outer diameter:	3.5 mm/3.6 mm

The following accessories are included in delivery:

Case

Grasping Forceps, single action jaws, flexible, 3 Fr., length 43 cm

Biopsy Forceps, single action jaws, flexible, 3 Fr., length 43 cm

Coagulation Electrode, unipolar, 3 Fr., length 53 cm

Pressure Compensation Cap

Leakage Tester

Cleaning Brush

KARL STORZ TELE PACK X LED

The TELE PACK X LED system is an all-in-one unit that allows performance of high-quality outpatient hysteroscopies in minimum space with maximum comfort. This innovative device integrates a monitor, camera, documentation terminal and a powerful, yet quiet LED light source in one compact unit.

TELE PACK X LED provides good visualization of hysteroscopic findings on the brilliant 15" flat screen monitor with LED backlight. Six USB ports and one SD card slot enable the storage of images and videos as well as direct print-outs in combination with compatible medical USB printers.

In combination with KARL STORZ hysteroscopes, this unit provides a high-quality, multifunctional and compact system for outpatient hysteroscopies.



- | | |
|----------|--|
| TP100 EN | <p>TELE PACK X LED, endoscopic video unit for use with all KARL STORZ TELECAM one-chip camera heads and video endoscopes, incl. LED light source similar to Xenon technology, with integrated digital Image Processing Module, 15" LCD TFT monitor with LED backlight, USB/SD memory module, color systems PAL/NTSC, power supply 100 – 240 VAC, 50/60 Hz</p> <p>including:</p> <ul style="list-style-type: none">USB Silicone Keyboard, with touchpad, US character setUSB Flash Drive, 8 GBMains Cord, length 300 cm |
| 20212030 | <p>TELECAM One-Chip Camera Head, color system PAL, soakable, gas-sterilizable, with integrated Parfocal Zoom Lens, f = 25 – 50 mm (2x), 2 freely programmable camera head buttons</p> |

Reply
KARL STORZ GmbH & Co. KG
Marketing Gynecology
Mittelstraße 8
D-78532 Tuttlingen

or by fax to
+49 (0)7461 708-75585

Yes, I am interested in **(Office) Hysteroscopy**

Please send me an **offer** regarding a:

- BETTOCCHI® **Integrated Office Hysteroscope (B.I.O.H.®)**
 - ☐ with long handle (26252 BL)
- ☐ CAMPO **TROPHYSCOPE®**
(26008 BAC, 26152 DA/DB)
- BETTOCCHI® **Hysteroscope**
 - ☐ size 4 mm (26008 BA, 26152 BI/BO)
 - ☐ size 5 mm (26120 BA, 26153 BI/BO)
- ☐ **Flexible Hysteroscope** (11264 BB)
- ☐ **TELE PACK X LED** (TP100 EN and 20212030)
- ☐ I would like to request an appointment with a sales representative.

My address:

<hr/>	<hr/>
Name, Title	Tel.
<hr/>	<hr/>
Clinic, Department	Fax
<hr/>	<hr/>
Street	E-mail
<hr/>	<hr/>
Postal Code, Town/City	Signature

Notes

It is recommended to check the suitability of the product for the intended procedure prior to use.



KARL STORZ Endoscopy-America, Inc.
2151 East Grand Avenue
El Segundo, CA 90245-5017, USA
Phone: +1 424 218-8100
Phone toll free: 800 421-0837 (US only)
Fax: +1 424 218-8525
Fax toll free: 800 321-1304 (US only)
E-Mail: info@ksea.com

KARL STORZ GmbH & Co. KG
Mittelstraße 8, 78532 Tuttlingen, Germany
Postbox 230, 78503 Tuttlingen, Germany
Phone: +49 (0)7461 708-0
Fax: +49 (0)7461 708-105
E-Mail: info@karlstorz.com

www.karlstorz.com



Health
made in Germany

www.health-made-in-germany.com